

# 14R

4413


## Toyota LC 150, Mod. 2017

EU-Personenschutzbügel 76 mm mit Querrohr 51 mm  
EU-Pedestrian Protection Bar 76 mm with cross pipe 51 mm  
Protection avant, homologuée CEE, 76 mm, traverse 51 mm



# ASSEMBLY INSTRUCTION

Montageanleitung • Instructions de montage




50 Minuten

article no.:  
14R4413 (S) inox  
14R5413 black steel

Revision 3: 02.12.2021








M5 (A2):  
5,1 Nm  
M6 (A2):  
8,8 Nm  
M6:  
10 Nm  
M8 (A2):  
21,4 Nm  
M8:  
25 Nm  
M12:  
87 Nm



8  
10  
13  
19

mounting kit: 14R9413



	M8x30; ähnl. ISO 7380 A2	<b>4x</b>
	M8x25; DIN 933 A2	<b>2x</b>
	M5x16; DIN 933 A2	<b>4x</b>
	M6x20; DIN 933 Zn	<b>2x</b>
	M6x25; DIN 933 A2	<b>1x</b>
	M8x20; DIN 933 Zn	<b>2x</b>
	M12x1,25x30; DIN 933 Zn	<b>2x</b>
	M5; DIN 934 A2	<b>4x</b>
	Ø 5; DIN 127 A2	<b>4x</b>
	Ø 6; DIN 127 Zn	<b>2x</b>
	Ø 8; DIN 127 Zn	<b>2x</b>
	Ø 8; DIN 127 A2	<b>2x</b>
	Ø 12; DIN 127 Zn	<b>2x</b>
	Ø 5,3; DIN 125 A2	<b>8x</b>
	Ø 6,4; DIN 9021 Zn	<b>2x</b>
	Ø 8,4; DIN 9021 Zn	<b>2x</b>
	Ø 8,4; DIN 9021 A2	<b>2x</b>
	Ø 13; DIN 9021 Zn	<b>2x</b>
	SW 10	<b>1x</b>
	SW 13	<b>4x</b>



article no.:  
14R4413 (S) inox  
14R5413 black steel

Revision 3: 02.12.2021



