

14R

4513

Toyota LC 150, Mod. 2017

EU-Personenschutzbügel 76 mm


EU-Pedestrian Protection Bar 76 mm

Protection avant, homologuée CEE, 76 mm



ASSEMBLY INSTRUCTION

Montageanleitung • Instructions de montage



50 Minuten

article no.:


14R4513 (S) inox

14R5513 black steel

Revision 3: 30.11.2021













M5 (A2):
5,1 Nm
M6 (A2):
8,8 Nm
M6:
10 Nm
M8 (A2):
21,4 Nm
M8:
25 Nm
M12:
87 Nm



8
10
13
19

mounting kit: 14R9413



	M8x30; ähnl. ISO 7380 A2	4x
	M8x25; DIN 933 A2	2x
	M5x16; DIN 933 A2	4x
	M6x20; DIN 933 Zn	2x
	M6x25; DIN 933 A2	1x
	M8x20; DIN 933 Zn	2x
	M12x1,25x30; DIN 933 Zn	2x
	M5; DIN 934 A2	4x
	Ø 5; DIN 127 A2	4x
	Ø 6; DIN 127 Zn	2x
	Ø 8; DIN 127 Zn	2x
	Ø 8; DIN 127 A2	2x
	Ø 12; DIN 127 Zn	2x
	Ø 5,3; DIN 125 A2	8x
	Ø 6,4; DIN 9021 Zn	2x
	Ø 8,4; DIN 9021 Zn	2x
	Ø 8,4; DIN 9021 A2	2x
	Ø 13; DIN 9021 Zn	2x
	SW 10	1x
	SW 13	4x



article no.:
14R4513 (S) inox
14R5513 black steel

Revision 3: 30.11.2021



