


17X 4213N

Suzuki Vitara, Md. 04/2015, 10/ 2018
Suzuki X-Cross Md. 2015

EU-pedestrian protection bar 60 mm with cross pipe 42 mm

EU-Personenschutzbügel 60 mm mit Querrohr 42 mm


Protection avant, homologuée CEE, 60 mm, traverse 42 mm



*Compatible with Automatic Cruise Control /Forward Collision Mitigation
Kompatibel mit Abstandsregeltempomat /Auffahrvermeidungs-oder warnsystem
compatible avec radar de régulation de distance/ freinage autonome d'urgence

ASSEMBLY INSTRUCTION

Montageanleitung • Instructions de montage



50 Minuten

article no.:

17X4213N (S) inox



17X5213N black steel

Revision 7: 29.04.2021






M8 (A2):
21,4 Nm
M6:
10 Nm
M8:
25 Nm
M10:
50 Nm



Tx 10



6.5




mounting kit: 17X9213N

1

17X4213.1 / 17X5213.1


1x



2

17X5029


1x



3

17X5032


1x



4

17X5030 R / 17X5031 L

2x



5

1545132

4x



6

11F8043

2x



7

006009.1

4x



8


005498

1x



Ø9 A2

	M8x40; DIN 7991 Zn	1x
	M8x20; DIN 912 A2	2x
	M8x30; DIN 912 Zn	1x
	M8 x 25; DIN 933 A2	1x
	M10 x 40 x 1.25 ; DIN 961 Zn	4x
	Ø3,5 x 13; ähnl. DIN 7981B A2	2x
	Ø 4,2; DIN 9021 A2	2x
	Ø 8,4; DIN 125 A2	2x
	Ø 8,4; DIN 125 Zn	1x
	Ø 10,5; DIN 9021 Zn	4x







article no.:

17X4213N (S) inox





17X5213N black steel

Revision 7: 29.04.2021

















only Modell 10/2018



only Modell 10/2018





Die Funktion des PDC ist eingeschränkt
The function of the pdc will be restricted
La fonction de la pdc est limitée
La función de la PDC se restringirá
Funktio PDC on rajoitettu
Funkce PDC bude omezeno
Funksjonen til PDC vil være begrenset
Funktionen för PDC kommer att begränsas

